

Preventive Care Services Guidelines for Clinicians

Samaritan Health Plans (SHP) reimburses in-network/contracted clinicians for services rendered below as preventive benefits with no cost share to the member. If coded as indicated in the model, members pay nothing for the service. Clinicians may also append Modifier 33 to indicate a preventive service as appropriate in accordance with billing standards. Preventive services should be provided following the frequency limits outlined in the United States Preventive Services Task Force (USPSTF), Bright Futures or Health Resources & Services Administration (HRSA) guidelines.

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Annual Wellness/Physical Exam	Service includes either an Initial Preventive Physical Examination or an Annual Wellness Visit (AWV) or a Comprehensive Preventive Exam, and any Laboratory Services performed.	99381 – 99397, 99429, or G0402, G0438, G0439, G0468, appropriate to the service provided and lab tests ordered or conducted during the visit. 99497 & 99489* *ACP codes are considered preventive when rendered at the same time as the AWV.	Payable with any diagnosis code.	All members.
Abdominal Aortic Aneurysm Screening: Men	The USPSTF recommends one-time screening for abdominal aortic aneurysm by ultrasonography in men aged 65 to 75 who have ever smoked.	76700, 76705, 76706, 76770, 76775	ICD-10: Z87.891	Males aged 65 to 75 who have ever smoked.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Abnormal Blood Glucose and Type 2 Diabetes Mellitus Screening	The USPSTF recommends screening for abnormal blood glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity.	Service is included in a preventive care visit or G0446.	Payable with any diagnosis code.	Men and women aged 40 to 70 years who are overweight or obese.
Aspirin to Prevent CVD and Colorectal Cancer: Men and Women	The USPSTF recommends initiating low-dose aspirin use for the primary prevention of cardiovascular disease (CVD) and colorectal cancer (CRC) in adults aged 50 to 59 years who have a 10% or greater 10-year CVD risk, are not at increased risk for bleeding, have a life expectancy of at least 10 years, and are willing to take low-dose aspirin daily for at least 10 years.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Adults aged 50 to 59 years.
Aspirin to Prevent Preeclampsia in Pregnant Women	The USPSTF recommends the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia.	Service is included in a preventive care visit.	Payable with diagnosis of pregnancy.	After 12 weeks of gestation.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Bacteriuria Screening: Pregnant Women	The USPSTF recommends screening for asymptomatic bacteriuria with urine culture for pregnant persons.	87081 - 87088	Payable with diagnosis of pregnancy.	Pregnant women.
Behavioral/Psychosocial Assessments	Bright Futures recommends conducting Psychosocial/Behavioral assessments and alcohol and drug assessments.	Service is included in a preventive care visit or 99401-99409.	Payable with any diagnosis code.	Children and adolescents 0 to 21 years.
Blood Pressure Screening	The USPSTF and HRSA recommend screening for high blood pressure in children ages 0-11 months, 1-11 years, adolescents 12-17, adults 18+ and older.	Service is included in a preventive care and/or well-child visit.	Payable with any diagnosis code.	Children ages 0-11 months, 1-11 years, adolescents 12-17, adults 18+ and older.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing	The USPSTF recommends that primary care clinicians assess women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA 1/2) gene mutations with an appropriate brief familial risk assessment tool. Women with a positive result on the risk assessment tool should receive genetic counseling and, if indicated after counseling, genetic testing.	<p>Risk Assessment and Counseling: service is included in a preventive care visit, or 99401-99404, 96040 and S0265.</p> <p>Testing: 81210-81217, 81162-81167, 88271 - 88273, 88363 - 88365</p>	ICD-10: Z15.01, Z15.02, Z80.3, Z80.4, Z80.41 or Z80.49	Women with a personal family history of breast, ovarian, tubal, or peritoneal cancer or an ancestry associated with BRCA 1/2 gene mutation.
Breast Cancer Preventive Medication	The USPSTF recommends that clinicians engage in shared, informed decision making with women who are at increased risk for breast cancer about medications to reduce their risk. For women who are at increased risk for breast cancer and at low risk for adverse medication effects, clinicians should offer to prescribe risk-reducing medications, such as tamoxifen or raloxifene.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Women at high risk for breast cancer and at low risk for adverse effects of chemoprevention.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Breast Cancer Screening	The USPSTF recommends screening mammography for women, with or without clinical breast examination, every 2 years for women ages 50 to 74 years.	77063, 77067, G0202	Payable with any diagnosis code.	Women ages 50 to 74 years.
Breastfeeding Counseling	The USPSTF recommends interventions during pregnancy and after birth to promote and support breastfeeding.	Service is included in a preventive care visit or 99401-99404	Payable with any diagnosis code.	Pregnant or postpartum women.
Breastfeeding Supplies and Support	The HRSA recommends comprehensive lactation support and counseling, by a trained provider during pregnancy and/or in the postpartum period, and costs for renting breastfeeding equipment.	A4281-A4286, E0602-E0604, S9443	Payable with any diagnosis code.	Pregnant and nursing women.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Cervical Cancer: Screening	The USPSTF recommends screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, the USPSTF recommends screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting).	G0101, G0123 - G0124, G0141- G0148, P3000 - P3001, Q0091, 87623- 87625, 88141 - 88143, 88147 - 88155, 88164 - 88167, 88174 – 88175	Payable with any diagnosis code.	Females.
Chlamydial Infection Screening: Women	The USPSTF recommends screening for chlamydia in sexually active women age 24 years and younger and in older women who are at increased risk for infection.	86631 - 86632, 87110, 87270, 87320, 87490 - 87492, 87810, and 87800	Payable with any diagnosis code.	Women age 24 years and younger or at increased risk and/or are pregnant.
Cholesterol Abnormalities Screening: Men and Women	The USPSTF recommends screening men aged 20 to 35 and 35 and older for lipid disorders if they are at increased risk for coronary heart disease. The USPSTF also recommends screening women aged 20 to 45 and 45 and older for lipid disorders if they are at increased risk for coronary heart disease.	80061, 82465, 83718 -83721, 84478	ICD-10: Z82.49, Z13.220, Z13.6	Men, aged 20 + and women, aged 20 +.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Colorectal Cancer Screening	The USPSTF recommends screening for colorectal cancer using fecal occult blood testing, sigmoidoscopy, or colonoscopy, in adults, beginning at age 45 years and continuing until age 75 years. The risks and benefits of these screening methods vary.	G0104 - G0106, G0120-G0122, G0328, G0464, G6019, G6021-G6022, G6024-G6025, 00810, 00812, 44388 - 44394, 44401-44408, 45330-45346, 45378 - 45385, 45388-45389, 45399, 81528, 82270-82274, 88304 – 88305, S0285, 99151-99157* *Only preventive when billed with a colonoscopy.	ICD-10: Z12.11-Z12.12	Men and women aged 45 to 75 years.
Congenital Heart Disease Screening for Newborns	Bright Futures recommends screening newborns for congenital heart disease using pulse oximetry after 24 hours of age, before discharge from the hospital.	94760, 94761, 94762 or covered as part of hospital stay.	Payable with any diagnosis code.	Newborns after 24 hours of age but before discharged.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Contraceptive Methods and Counseling	The HRSA recommends all Food and Drug Administration (FDA) approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity.	11981, 11983, 57170, 58565*, 58600-58615*, 58661*, 58670-58671*, 58300-58301, 96372, A4261, A4264, A4266-A4269, J1050, J7296, J7297, J7298, J7300-J7307, S4981-S4989, S4993, Q9984, 00840*, 00851*, 00952*, 81002*, 81025 Counseling: 99201-99215 or 99381-99412, and 99429 *Codes with an asterisk are only payable as preventive when billed with ICD-10 Z30.2	ICD-10: Z30.011-Z30.019, Z30.02-Z30.09, Z30.40-Z30.49, Z30.8-Z30.9	All women with reproductive capacity.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Dental Caries Chemoprevention: Preschool Children	The USPSTF recommends that primary care clinicians prescribe oral fluoride supplementation at currently recommended doses to preschool children older than 6 months of age whose primary water source is deficient in fluoride. The USPSTF also recommends that primary care clinicians apply fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption.	Service is included in a preventive care visit or 99188.	Payable with any diagnosis code.	Children aged 6 months to 5 years.
Depression Screening: Adolescents and Adults	The USPSTF recommends screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. The USPSTF also recommends screening for depression in the general adult population, including pregnant and postpartum women. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up.	Service is included in a preventive care visit or 96127.	ICD-10: Z13.89	Adolescents and adults, aged 12 to 17 and 18+.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Developmental Assessments	Bright Futures recommends performing developmental screening, autism screening and developmental surveillance.	Service is included in a preventive care visit or G0451, 96110 – 96111.	Payable with any diagnosis code.	Children aged 0 to 3 years.
Diabetes and Prediabetes Screening	The USPSTF recommends screening for prediabetes and type 2 diabetes in adults aged 35 to 70 years who have overweight or obesity. Clinicians should offer or refer patients with prediabetes to effective preventive interventions.	82950 & 82951, 82947 - 82952, 83036	ICD-10: Z13.1 and/or payable with a diagnosis of high blood pressure	Men and women aged 18+.
Dyslipidemia Screening	The HRSA recommends screening for children and adolescents that are at a higher risk of lipid disorders. Screening should be performed during a well-child visit. Bright Futures recommends an additional Dyslipidemia screening between 9 and 11 years of age.	80061	ICD-10: Z13.220, Z13.6	Children and adolescents aged 1 to 17 years.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Falls Prevention in Community-Dwelling Older Adults: Interventions	The USPSTF recommends interventions to prevent falls in community-dwelling adults 65 years and older who are at increased risk for falls.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Men and women aged 65+.
Folic Acid Supplementation	The USPSTF recommends that all women planning or capable of pregnancy take a daily supplement containing 0.4 to 0.8 mg (400 to 800 µg) of folic acid.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Women aged 18+.
Gestational Diabetes Screening	The USPSTF recommends screening for gestational diabetes in asymptomatic pregnant women at 24 weeks of gestation or after.	82950 & 82951, 82947-82952	ICD-10: O0900-O0993, Z13.1, Z33.1, Z34-Z34.93, Z39.0-Z39.2, Z86.32	Pregnant women.
Gonorrhea Screening: Women	The USPSTF recommends screening for gonorrhea in sexually active women age 24 years and younger and in older women who are at increased risk for infection.	87590 - 87592, 87850, 87800, 87081, 87210, 87070, 87077, G9228	Payable with diagnosis of pregnancy or ICD-10: O09.00-O09.93, Z00.0, Z01.411, Z01.419, Z33.1, Z34-Z34.93, Z39.0-Z39.2	Women aged 24 and younger or at increased risk and/or are pregnant.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults with Cardiovascular Risk Factors: Behavioral Counseling Interventions	The USPSTF recommends offering or referring adults with cardiovascular disease risk factors to behavioral counseling interventions to promote a healthy diet and physical activity.	97802 - 97804, 99401-99404, S9452, S9470, G0270 - G0271, G0446 – G0447, G0473, 98960 or may be included in a preventive care visit.	Payable with a diagnosis related to cardiovascular disease.	Men and women age 18+ who have known risk factors for cardiovascular disease.
Hearing Loss Screening: Newborns	The USPSTF recommends screening for hearing loss in all newborn infants.	Done as part of hospital stay or 92551 - 92552, 92558, 92585 - 92588, V5008.	Payable with any diagnosis code.	Children aged 0 to 10 years.
Hemoglobinopathies Screening: Newborns	The HSRA recommends screening for sickle cell disease in newborns.	83020 - 83021, S3620	Payable with any diagnosis code.	Newborns aged 0 to 3 months.
Hepatitis B Screening: Pregnant Women and All Persons at High Risk of Infection	The USPSTF strongly recommends screening for hepatitis B virus infection in pregnant women at their first prenatal visit and screening in all persons at high risk for infection.	87340 - 87350, 87515 - 87517	Payable with any diagnosis code.	Men and women with an increased risk and/or are pregnant.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Hepatitis C Virus Infection Screening: Adults	The USPSTF recommends screening for hepatitis C virus infection in adults aged 18 to 79 years.	87520-87522, G0472	Payable with any diagnosis code.	Men and women aged 18 to 79 years.
Hematocrit or Hemoglobin Risk Assessment	Bright Futures recommends a hematocrit or hemoglobin risk assessment between the ages of 15-30 months.	85004-85041	Payable with any diagnosis code.	Children ages 15-30 months.
HIV Screening	The USPSTF recommends that clinicians screen all pregnant women for HIV, including those who present in labor who are untested and whose HIV status is unknown. The USPSTF also recommends that clinicians screen for HIV infection in adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened. Bright Futures recommends that those between the ages of 16-18 be screened at least once.	86701 - 86703, 87389 - 87391, 86689, 87534 – 87539, 87806, G0432, G0433. G0435, G0475-G0476, S3645 Pregnant women- 80081	Payable with any diagnosis code.	Men and women aged 15 + with an increased risk and/or are pregnant.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Human Papillomavirus (HPV) Screening: Women	The HRSA recommends high-risk human papillomavirus DNA testing in women with normal cytology results.	87623-87625	Payable with any diagnosis code.	Women aged 30+ who are high-risk.
Hypothyroidism Screening: Newborns	The USPSTF recommends screening for congenital hypothyroidism in newborns.	84436 - 84439, 84443, S3620	Payable with any diagnosis code.	Newborns aged 0 to 3 months.
Intimate Partner Violence, Women of Reproductive Age: Screening	The USPSTF recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age and provide or refer women who screen positive to ongoing services.	Service is included in a preventive care visit.	Payable with any diagnosis code.	All women.
Iron Supplementation in Children	The USPSTF recommends routine iron supplementation for asymptomatic children aged 6 to 12 months who are at increased risk for iron deficiency anemia.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Children aged 6 to 12 months.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Lung Cancer Screening	The USPSTF recommends annual screening for lung cancer with low-dose computed tomography (LDCT) in adults aged 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.	S8032, G0296, G0297	ICD-10: F17.210-F17.219, Z87.891, Z12.2	Men and women aged 50 to 80 years.
Lead Screening	The HRSA recommends lead screening for children who at risk of exposure.	83655	Payable with any diagnosis code.	Children age 6 and younger.
Obesity Screening and Counseling: Adults	The USPSTF recommends screening all adults for obesity. Clinicians should offer or refer patients with a body mass index (BMI) of 30 kg/m ² or higher to intensive, multicomponent behavioral interventions.	97802 - 97804, 99401-99404, S9470, G0270 - G0271, G0446 – G0447, G0473, 98960 or may be included in a preventive care visit.	None for the screening. The counseling is payable with an Obesity diagnosis	Men and women age 18+.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Obesity Screening and Counseling: Children	The USPSTF recommends that clinicians screen children aged 6 years and older for obesity and offer them or refer them to comprehensive, intensive behavioral interventions to promote improvement in weight status.	97802 - 97804, 99401-99404, S9470, G0270 - G0271, G0446 – G0447, G0473, 98960 or may be included in a preventive care visit.	None for the screening. The counseling is payable with an Obesity diagnosis	Children aged 6+.
Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication	The USPSTF recommends prophylactic ocular topical medication for all newborns to prevent gonococcal ophthalmia neonatorum.	No specific code, included in hospital charges.	Payable with any diagnosis code.	Newborns aged 0 to 3 months.
Osteoporosis to Prevent Fractures Screening: Women	<p>The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in women 65 years and older.</p> <p>The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in postmenopausal women younger than 65 years who are at increased risk of osteoporosis, as determined by a formal risk assessment tool.</p>	76977, 77078-77081, 77085-77086, and G0130	ICD-10: Z82.62, Z13.820 or payable with diagnosis related to bone disease.	Women aged 65 + or those at greater risk.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
PKU Screening: Newborns	The USPSTF recommends screening for phenylketonuria (PKU) in newborns.	84030, S3620 or included in hospital charges.	Payable with any diagnosis code.	Newborns aged 0 to 3 months.
Preeclampsia: Screening	The USPSTF recommends screening for preeclampsia in pregnant women with blood pressure measurements throughout pregnancy.	Service is included in a preventive care visit.	Payable with diagnosis of pregnancy.	Pregnant women.
Preexposure Prophylaxis for the Prevention of HIV Infection	The USPSTF recommends that clinicians offer preexposure prophylaxis (PrEP) with effective antiretroviral therapy to persons who are at high risk of HIV acquisition.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Persons at high risk of HIV acquisition.
Prostate Cancer Screening	Medicare recommends men over the age of 50 get a yearly digital rectal examination and a Prostate specific antigen (PSA) test.	G0102, G0103	Payable with any diagnosis code.	Men aged 50+.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Rh Incompatibility Screening: First Pregnancy Visit and 24-28 Weeks Gestation	The USPSTF strongly recommends Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy-related care and repeating Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24-28 weeks' gestation, unless the biological father is known to be Rh (D)-negative.	86901, 86850, 86870, 80081	Payable with diagnosis of pregnancy.	Pregnant women 24 – 28 weeks' gestation and first prenatal visit.
Skin Cancer: Behavioral Counseling	The USPSTF recommends counseling young adults, adolescents, children, and parents of young children about minimizing exposure to ultraviolet (UV) radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk of skin cancer.	Service is included in a preventive care visit or 99401-99404.	Payable with any diagnosis code.	Children, adolescents, and young adults aged 6 months to 24 years.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Statin Use for the Primary Prevention of Cardiovascular Disease in Adults	The USPSTF recommends that adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate-dose statin for the prevention of CVD events and mortality when all of the following criteria are met: 1) they are aged 40 to 75 years; 2) they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking); and 3) they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults aged 40 to 75 years.	Service is included in a preventive care visit.	Payable with any diagnosis code.	Men and women aged 40 to 75 years.
Sexually Transmitted Infections: Behavioral Counseling	The USPSTF recommends behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections (STIs).	Service is included in a preventive care visit or 99401-99404, or G0445.	ICD-10: Z71.7, Z71.89, Z72.51-Z72.53, Z20.2	Sexually active adolescents and adults at increased risk.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Syphilis Infection Screening: Non-Pregnant Adults and Adolescents	The USPSTF recommends screening for syphilis infection in persons who are at increased risk for infection	86592-86593, 86780, 87285	ICD-10: Z11.3, Z72.51	Asymptomatic, nonpregnant adults and adolescents who are at increased risk for syphilis infection
Syphilis Infection Screening: Pregnant Women	The USPSTF recommends early screening for syphilis infection in all pregnant women.	80081, 86592 - 86593, 86780, 87285.	Payable with diagnosis of pregnancy or with ICD-10: O09.00-O09.93, Z11.3, Z33.1, Z34-Z34.493, Z72.51	Pregnant women.
Tobacco Use Counseling	The USPSTF recommends that clinicians ask all adults about tobacco use, advise them to stop using tobacco, and provide behavioral interventions and US Food and Drug Administration (FDA)—approved pharmacotherapy for cessation to nonpregnant adults who use tobacco. Clinicians should also ask all pregnant persons about tobacco use, advise them to stop using tobacco, and provide behavioral interventions for cessation to pregnant persons who use tobacco. The USPSTF also recommends that primary care clinicians	Service is included in a preventive care visit or G0436 - G0437, G9016, S9453, 99078, 99406, 99407, 99411, or 99412.	ICD-10: F17.2, Z87.891	School-aged children, adolescents and adults.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
	provide interventions, including education or brief counseling, to prevent initiation of tobacco use among school-aged children and adolescents.			
Tuberculosis screening: Adults	The USPSTF recommends screening for latent tuberculosis infection (LTBI) in populations at increased risk.	86480, 86481, 86580	Payable with any diagnosis code.	Men and women aged 18+.
Unhealthy Alcohol Use: Screening and Behavioral Counseling and Interventions	The USPSTF recommends screening for unhealthy alcohol use in primary care settings in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.	Service is included in a preventive care visit or G0442-G0443 or G0396 – G0397, 96160, 96161, 99408, 99409, 99411, 99412	Payable with any diagnosis code.	Men and women aged 18+.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Unhealthy Drug Use: Screening	The USPSTF recommends screening by asking questions about unhealthy drug use in adults age 18 years or older. Screening should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred. (Screening refers to asking questions about unhealthy drug use, not testing biological specimens).	Service is included in a preventive care visit or 96160, 96161, 99408, 99409, 99411, 99412	Payable with any diagnosis code.	Men and women aged 18+.
Visual Acuity Screening in Children	The USPSTF and Bright Futures recommend screening to detect amblyopia, strabismus, and defects in visual acuity in children.	99172 – 99174, 99177 or S0620 - S0621	ICD-10: Z01.00-Z01.01	Children aged 0 to 21 years.
Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral Interventions	The USPSTF recommends that clinicians offer or refer adults with a body mass index (BMI) of 30 or higher (calculated as weight in kilograms divided by height in meters squared) to intensive, multicomponent behavioral interventions	Service is included in a preventive care visit.	Payable with any diagnosis code.	Men and women aged 18+.

Preventive Care Services Guidelines (continued)

Service & Description	USPSTF, BRIGHT FUTURES, HRSA or SACHDNC Recommendation	CPT/HCPCS Codes	ICD-10 CM Codes	Frequency & Criteria
Well-Women Visits	The HRSA recommends a preventive annual visit for adult women to obtain the recommended preventive services that are age and developmentally appropriate, including preconception and prenatal care.	59425-59426, 99201-99215 or 99381-99397, and 99429 as appropriate to the service.	99201-99215 are payable when billed with a diagnosis of ICD-10: Z31.69, Z34-Z34.493, Z33.1, O09.00-009.93	Women and pregnant women.

These guidelines represent a compilation of recommendations from the United States Preventive Services Task Force (USPSTF), recommendations for Preventive Pediatric Health Care *Bright Futures/American Academy of Pediatrics*, the Secretary’s Advisory Committee on Heritable Disorders in Newborns and Children, and US Department of Health and Human Services Health Resources and Services Administration (HRSA). SHP will make any additions or revisions in accordance with changes in the recommendations for preventive services issued by the Departments of Health and Human Services (HHS), Labor, and Treasury. SHP reserves the right to amend CPT/HCPCS and ICD-10-CM codes for the Preventive Care Services at its discretion. These additions or revisions will be posted on SHP’s website.

Services listed in the Preventive Care Services Guidelines table are covered with a no cost share when received from an SHP in-network clinician. The guidelines should not replace clinical judgment or the needs of the individual patient.

Preventive Care Services Guidelines (continued)

Publication History

- 1.1.12: Original document
- 2.3.12: Added V74.5 as an ICD-9 acceptable for reporting syphilis screening non-pregnant women.
- 2.21.12: Added G0396 – G0397 as an acceptable procedure code for reporting Alcohol Misuse Counseling.
- 3.22.12: Added V76.47 as an acceptable dx code billed for reporting the Annual Wellness Visit.
- 4.25.12: Clarified and revised the Service & Description of the previously listed Annual Wellness Exam – Assessment and Laboratory Services to, “Annual Wellness/Physical Exam: Service includes either an Initial Preventative Physical Examination or an Annual Wellness Visit or a Comprehensive Preventive Exam or an Annual Physical, and any Laboratory Services performed:
- 7.1.12: Clarified description and reference language to include SACHDNC and Bright Futures.
Added Behavioral/Psychosocial Assessments.
Added Developmental Assessments.
Clarified frequency and criteria for the Annual Wellness/Physical Exam, Hearing Loss Screening for Newborns, and in Visual Acuity Screening in Children
Added 99172 – 99174 as acceptable procedure codes for reporting Visual Acuity Screening in Children and expanded the age to include up to age 21 years
Expanded the age for Hearing Loss Screening for Newborns to include up to age 10 years.
- 12.28.12: Summary of changes:
BRCA Screening included S3818-S3823 and 83890-83913. These are deleted as of 2013; the new codes added to BRCA Screening category are 81211-81217.
Corrected procedure code range for HIV Screening, removed G0434 as this is specific to a drug screening and not specific to HIV testing. Osteoporosis Screening included 77083. This code was deleted as of 2013; the new code range for this category is 77080-77082. Lead Screening, new category to preventive build is identified by procedure code 83655. Tobacco Use Counseling category: Removed HCPCS code S9075 as it expired in 2011. Syphilis Screening: removed diagnosis code V65.44, specific to HIV counseling and not syphilis. Women services build: Well Woman Visits, 59425-59426, 99201-99215 with DX V22.0-V23.9 or 630 – 679.14, 99381-99429 (already built in the preventive table); Gestational Diabetes 82953 (adding to existing range of 82947-82952); Domestic Violence 99381-99429 (no changes from 2012 Preventive); Contraception, 57170, 58565, 58600-58615, 58670-58671, 58300-58301, A4261, A4264, A4266, A4268, A4269, J1050 (J1051-J1056 deleted for 2013), J7300-J7307, S4981-S4989, S4993, 11981, 11983, and 96372 with DX V25.01-V25.03, V25.11, V25.13, V25.40-V25.5, Counseling: 99381-99429, 99201-99215 with DX V25.01-V25.03, V25.11, V25.13, V25.40-V25.5; Breast Feeding A4281-A4286, E0602-E0603, S9443; HPV, 87620-87622; HIV corrected code range G0432, G0433, and G0435. Remove G0434 not specific to HIV testing. This code is for drug screening; and, STD 99381-99429 and G0445 (No changes from 2012 Preventive). Category language has been changed for the following: Blood Pressure Screening: The USPSTF and HRSA recommend screening for high blood pressure in children ages 0-11 months, 1-11 years, adolescents 12-17, adults 18+ and older; Cervical Cancer Screening: The USPSTF and HRSA strongly recommend screening for cervical cancer in females who have been sexually active and have a cervix; and, Dyslipidemia Screening (separate from Cholesterol Screening for adults). The HRSA recommends screening for children and adolescents that are at a higher risk of lipid disorders. Screening should be performed during a well-child visit, CPT code 80061, diagnoses V77.91, V81.2, frequency and criteria Children and Adolescents ages 1-17 years, 1 time per benefit period. Took out age 0-5 years from the description for visual acuity, because it is actually 0-21 in accordance with Bright Future Recommendations. Added HRSA to the recommendation column and to the script at the end of the table.
- 6.18.13: Added 92558 as an acceptable procedure code for reporting Hearing Loss Screening: Newborn.
- 3.9.15: Summary of changes:
Updated language to the Alcohol Misuse Screening and Behavioral Counseling category. Added code G0446 to Aspirin to prevent CVD in Women category. Added new category - Aspirin to Prevent Preeclampsia in Pregnant Women. Added CPT 81210 to BRCA category. Updated recommendation language for Breast Cancer Prevention Medicine category. Updated the Cervical Cancer screening language and added new 87623-87625 CPT codes. For the Colorectal Cancer Screening Category- Added CPT codes 44401- 44408, removed 45339 as it expired on 12.31.14 and was replaced by 45346 and G6022. Removed 45355 as it expired on 12.31.14, replaced with 45378, 45399, and G6021. For Dental Caries Chemoprevention: Preschool children category-updated recommendation language and added new CPT code 99188. For Depression Screening- added CPT code 9612. For Gonorrhea screening- added G9228. For Healthy Diet Counseling, added new code G0473. Updated the

Preventive Care Services Guidelines (continued)

Hep C Screening Category recommendation language to reflect is for all pregnant women AND all persons at high risk of infection. Added new category Hepatitis C Virus Infection Screening: Adults. For the HIV category, added the Bright Future recommendation of persons aged 16-18 years of age get screened at least once and added CPT code 87806. Updated the recommendation language for the Intimate partner/domestic violence category- combine HRSA recommendations, Bright Future language all into the USPSTF language. Added new code G0473 to both Obesity screening categories. For Osteoporosis screening: Women, CPT codes 77082, 77083 have been deleted. Updated the STI counseling recommendation language. Updated the language to the Tobacco Use counseling and CPT G9016. Added new category for Lung Cancer screening. Added new category for Congenital Heart Disease screening for Newborns. Updated recommendation for Dyslipidemia screening, an additional screening for 9-11 years per Bright Futures. Added the category for Hematocrit and Hemoglobin risk assessment. For the Behavioral/Psychosocial Assessment category, added CPT codes 96127, and G0444. For the Screening for Gestational Diabetes category, removed expired CPT code 82953. For Human Papillomavirus (HPV) Screening, removed 87620-87622 as they expired on 12.31.2014. Added replacement codes 87623-87625.

- 4.1.15: Added 00810 to Colorectal Cancer Screening.
- 4.24.15: Adding G6019, G6024-G6025, 45388-45389 for Colorectal Cancer screening. Added G0468 to Annual Wellness.
- 8.28.15: Added A4267 to Contraceptive category.
- 9.11.15: Added G0464 to Colorectal Cancer Screening Category.
- 12.31.15: Added ICD-10 diagnosis codes to applicable categories. Also, removed the diagnosis codes from the Chlamydial infection screening per USPSTF, no diagnosis criteria restrictions.
- 2.2.16: Updated the breast cancer screening to: The USPSTF recommends screening mammography for women, with or without clinical breast examination, every 2 years for women aged 50 to 74.
- 2.19.16: Updated the Depression in Children and Adolescents screening to: The USPSTF recommends screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. Added new CPT 81162 to the Breast Cancer Genetic Risk Assessment and BRCA Mutation Testing (Testing) category. Added G0296, G0297 to Lung Cancer Screening. Added J7297, J7298, to contraceptives. Added 99177 to Visual Acuity Screening in Children category.
- 5.2.16: Added 'Aspirin to prevent Colorectal Cancer and CVD in Adults' category.
- 9.13.16: Add to Breast Cancer Screening- CPT 77063 is coverable when billed in conjunction with HCPCS G0202, and ICD-10 Z123.1, or ICD-9 V76.11 or V76.12
- 9.20.16: Added the category for tuberculosis screening.
- 12.13.16: Added the category Cardiovascular Disease Preventive Medication
- 2.8.17: Added 96160 to Alcohol Misuse Counseling category, new code for 2017
- 4.20.17: New diagnosis codes effective 10.1.2016: z30015-30017, Z3044-Z3046, already fell into ranges on document. Added the other Z codes that were missed but are considered contraceptive codes to ensure following the HRSA rule: Z3002, Z3009, Z302, and Z308-Z309. Also documented S4993 to the category; was not yet noted but was mapped already.
- 7.27.17: Added HCPCS Q9984. New contraceptive code as of 7.1.2017
- 8.17.017: Updated Breast Screening category to include CPT 77061-77062.
- 9.14.17: Added G0451 to Developmental Screening Category
- 12.29.17: Updated USPSTF language for the Breast Cancer Screen category.
- 1.11.18: Summary of Changes:
Added 76706 to category for Abdominal Aortic Aneurysm Screening. Removed G0389, expired code. Updated '24-28 Weeks Gestation' in the Rh Incompatibility screening category. Previously had typo of 48 weeks gestation. 80081 to Syphilis Screening, and HIC screening categories, 81528 to the colorectal cancer screening. Added 99497 & 99498 to the AWW criteria. Added Prostate Cancer Screening category, updated chlamydia, and gonorrhea screening language to match USPSTF and ages. Updated Depression Screening language, updated language for Gestational Diabetes Screening, to after 24 weeks gestation. Updated HIV language, obesity screening, Osteoporosis language, add Preeclampsia: Screening category, language in vision acuity. Added Vitamin D and Calcium to Prevent Fractures: Preventive Medication, adding Z31.69 to well woman visits category. Per HRA, preconception is part of the Well Woman care. Added J7296 to contraceptive, new code 1.1.2018. Added S9452 to Healthy Diet category.

Preventive Care Services Guidelines (continued)

- 5.2.18: Added 00812 to the Colorectal cancer screening category.
- 5.9.18: Added 96161 to Depression Screening.
- 5.15.18: Added G0102 to Prostate Cancer Screening criteria, added 80081 to RH Incompatibility category for pregnant women. Added G0475-G0476 to HIV Screening.
- 8.15.18: Added to the Colorectal Cancer Screening category: 99151-99157- Only preventive when billed with a colonoscopy.
- 9.13.18: Split Syphilis screening categories as there is now a separate recommendation for all pregnant women.
- 9.14.18: Removed ICD-9 codes from table.
- 10.29.18: Updated the Intimate Partner Violence screening to match recent update to published USPSTF recommendation, updated Cervical Cancer: Screening to match current recommendation language, updated Falls Prevention to match current recommendation language, updated Osteoporosis to Prevent Fractures Screening to match current recommendation language, updated Skin Cancer Prevention to match current recommendation language.
- 10.29.18: Removed Vitamin D, Calcium, or Combined Supplementation for the Primary Prevention of Fractures in Community-Dwelling Adults: Preventive Medication, as this currently has an I or D rating (was updated in April 2018).
- 11.8.18: Added HCPC Code S0285 – ‘colonoscopy consultation performed prior to a screening colonoscopy procedure’ to the preventive codes considered for colorectal cancer screening.
- 11.13.18: Updated “Alcohol Misuse Counseling” to “Unhealthy Alcohol Use: Screening and Behavioral Counseling Interventions.” New recommendation published, and this is what it is now called. Same coding.
- 12.5.18: Removed “(with modifier RR)” from Breast Feeding Supplies and Support codes, as breast pumps are covered as preventive when they are purchased or rented.
- 1.3.19: Updated the first paragraph to say Samaritan Health Plans (SHP), instead of SHPO. Added that there is no cost share to the member when services provided by an in-network/contracted clinician.
- 1.24.19: Removed code range S0610-S0613 from the category: Annual Wellness/Physical Exam: Service includes either an Initial Preventive Physical Examination or an Annual Wellness Visit or a Comprehensive Preventive Exam, and any Laboratory Services performed. These codes are not covered for Medicare and Medicaid plans. They will be setup outside of the preventive table to be covered according to the preventive benefit for SCP and Commercial plans.
- 3.1.19: Removed the 6-hour limit from the healthy diet counseling benefit. This limit has never been setup in Facets and the USPSTF does not say anything about limiting these services.
- 4.5.19: Updated Annual Wellness/Physical Exam code range to be: 99381-99412, 99429. Also updated this range anywhere else it was listed in the document. Added Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication. Left codes columns blank, as there is no specific code used to bill for this service.
- 6.11.19: Added Preexposure Prophylaxis for the Prevention of HIV Infection. New A rated final recommendation statement released on 6/11/19.
- 11.5.19: Removed Anemia Screening: Pregnant Women, as this is no longer recommended by the USPSTF as of 2015. Updated Bacteriuria screening to match current USPSTF language (updated September 2019). Updated Breast Cancer Genetic Risk Assessment and BRCA Mutation Testing (Counseling) to match current USPSTF language (updated August 2019).
- 12.12.19: Removed G0204 and G0206 from breast cancer screening as these codes expired 12/31/17. Also removed 77051, 77052, 77055, 77056 and 77057 as they expired 12/31/2016.
- 12.26.19: Combined BRCA testing and counseling into single row. Added ICD-10 codes Z15.01, Z15.02, Z80.4 and Z80.49 to account for claims billed for ancestral risk and tubal or peritoneal family history.
- 12.30.19: Added range 81162-81167 to BRCA testing range to account for new codes 81163, 81164, 81165, 81166 and 81167, effective 01/01/19.
- 1.14.20: Removed CPT codes 77061, 77062, 77065 and 77066 from breast cancer screening benefit as these codes are for diagnostic mammograms rather than screening mammograms which are not considered preventive. Added to contraceptive benefit category to account for updates for voluntary sterilization procedures.
- 3.20.20: Updated Hepatitis C recommendation language to match updated final recommendation summary released on 03/02/2020, no configuration changes needed.
- 3.10.20: Updated annual wellness/physical exam benefit code range to 99381-99397. This removes the counseling and intervention codes from this category, as those billed on their own are not considered an annual wellness/physical exam. All other categories that are related to counseling and interventions have been updated to ensure they include the appropriate codes for the service.
- 6.09.20: Added new category “Unhealthy Drug Use: Screening”. Final recommendation statement was released on 6/9/20.

Preventive Care Services Guidelines (continued)

- 4.23.21: Updated language under Sexually Transmitted Infections: Behavioral Counseling, updated language under Healthy Diet Counseling, updated language under Tobacco Use Counseling, updated language under Lung Cancer Screening, removed code range 92002-92014 from Visual Acuity Screening in Children.
- 6.29.21: Updated Colorectal Cancer Screening to reflect new B grade for adults aged 45 to 49.
- 8.26: Updated diabetes screening to reflect new recommendation for prediabetes screening, no coding changes needed. Updated language under gestational diabetes screening to match current recommendation, no coding changes needed.